

30 L530 Multiple Tube Racks & Automatic Balance Centrifuge

L530 Tabletop Centrifuge, featuring multiple protections, stainless steel chamber, is widely used in clinics, genetic biology and cytology with its high performance and high quality. Various rotors, brackets and adapters are available for choice.



Features

- ✧ Microcomputer control, DC brushless motor.
- ✧ Electronic door interlock for safe operation.
- ✧ RCF value can be calculated and set automatically.
- ✧ Touch panel and LCD display for easy operation.
- ✧ Various racks, brackets and adapters are available for free choice.
- ✧ Under Programmable operation and programs can be stored.

Rotor Optional

No.3  Order No.: 0302853800 Max. Speed : 4000rpm Max. RCF: 2200xg Max.Capacity: 2 x 2 x 96 places	 Order No.: 0303853810 Micro-plate Bucket Capacity: 2 x 2 x 96 places
--	---

Technical Parameters


Model	L530	Noise	<65dB(A)
Order No.	0205182000	Power supply	AC220V±22V 50/60Hz 10A
Max. speed	5300rpm	Power consumption	400W
Max. RCF	5010xg	Dimensions (W x D x H)	470x560x380mm
Max. capacity	4x250ml	Package size (W x D x H)	547x727x422mm
Speed accuracy	±30rpm	Net weight	38kg
Time Range	1min to 99min		

Rotor Optional

 No.1 Order No.: 0307853591 Max. Speed: 5300rpm Max. RCF: 5010xg Max. Capacity: 4x100ml	 Order No: 0303853580 Capacity: 4x100ml	Adaptor: 030489106 4	Capacity 4x50ml	Adaptor: 030489112 7	Capacity 4x15ml(conical)
		Adaptor: 030489112 6	4x50ml (conical)	Adaptor: 030485351 0	4x3x5ml vacuum tube
		Adaptor: 030489112 5	4x30ml	Adaptor: 030485351 1	4x2x10ml
		Adaptor: 030485350 7	4x20ml	Adaptor: 030485351 2	4x4 hematocrit tube
		Adaptor: 030489112 8	4x15ml	Adaptor: 030485353 3	4x2x1.5ml

 No.2 Order No: 0307853591 Max. Speed: 4200rpm Max. RCF: 3100xg Capacity:4x200ml	 Order No: 030385354 0 Bracket 4x2x50ml	 Order No:0303853560 4x8x15ml Adaptor: 0304853530(10ml) 0304853531(7ml) 0304853532(5ml)	 0303891009 Bucket 4x16x5ml/7ml	 0303891010 Bucket 4x12x5ml/7ml
	 Order No:0303853545 Bracket 4x2x100ml	Adaptor 0304891064(4x2x50ml) 030491126(4x2x50ml conical) 0304891125(4x2x30ml) 0304853507(4x2x20ml) 0304891128(4x2x15ml) 0304853512 (4x8ml hematocrit tube) 0304891127(4x15ml conical) 0304853533(4x4x1.5ml) 0304853511(4x4x10ml) 0304853510(3x5ml Vacuum)		

Rotor	Cup	Adapter	Capacity (ml)	Place	Diameter (mm)	Depth (mm)	Order No.
No.4  Order No: 0302853600 Speed: 4200rpm RCF: 3550xg Capacity 4x250ml	 Order No: 0303891028 Capacity 4x250ml		100	4	Φ38	107	0304897098
			50	4	Φ29.5	97	0304891095
			50 (conical)	4	Φ29.5	97	0304891109
			20	16	Φ21	98	0304891101
			15 (conical)	16	Φ17.5	98	0304891108
			15	24	Φ17.5	98	0304891106
			10	28	/	/	0304853604
			5	40	/	/	0304853605
			1.5	32	Φ11.2	37	0304891124
	Order No: 03038536		250	4	Φ63	76	0304891113
			50 (conical)	16	Φ29.5	77.5	0304891121

	15 Capacity 4x250ml		15 (conical)	28	Φ17	77.8	0304891117
			10	36	Φ16.5	77	0304891122
			5ml	36	Φ14mm	60mm	0304891196